(Pages : 4) N - 3974

Reg. No. :	:	
Name:		

# First Semester B.Sc., Degree Examination, June 2022 First Degree Programme Under CBCSS PHYSICS

# Complementary Course for Mathematics PY 1131.1 : MECHANICS AND PROPERTIES OF MATTER

(2018 & 2019 Admission)

Time: 3 Hours Max. Marks: 80

## SECTION - A

(Answer all questions in one or two sentences; each question carries 1 mark).

- 1. Why moment of inertia is called rotational inertia?
- 2. How does moment of inertia affect speed?
- 3. State perpendicular axis theorem?
- 4. Explain the term amplitude, frequency and period of time?
- 5. What is torsional pendulum?
- 6. Define surface tension.
- 7. Explain why small drops of liquid are spherical in shape?
- 8. What is the principle of viscometer?

- 9. Why two streamlines cannot cross each other?
- 10. Why the pressure of water decreases when it flows from a broader pipe to a narrower pipe?

 $(10 \times 1 = 10 \text{ Marks})$ 

### SECTION - B

(Answer **any eight** questions, not exceeding a paragraph; each question carries **2** marks).

- 11. What is the physical significance of moment of inertia?
- 12. Derive an expression for moment of inertia of an annular ring?
- 13. Derive an expression for the kinetic energy of a rotating body with uniform angular velocity?
- 14. Draw a graph showing the variation of time period of a compound pendulum with distance of point suspension from one end.
- 15. What is meant by free oscillation?
- 16. What are the characteristics of progressive wave?
- 17. Explain the term angle of shear and angle of twist.
- 18. Deduce an equation for plane progressive wave.
- 19. What is cantilever? Write an expressions for depression of cantilever when the load is fixed at the centre.
- 20. How do the insects run on the surface of water?
- 21. Obtain an expression for twisting couple per unit twist of a wire?
- 22. Explain the working of an Ostwald's viscometer?

 $(8 \times 2 = 16 \text{ Marks})$ 

### SECTION - C

(Answer any six, each question carries 4 marks).

- 23. Calculate the moment of inertia of a uniform circular disc of mass 500gm and radius 10 cm about its diameter?
- 24. What is the angular momentum of a particle whose rotational kinetic energy is 18 joules, if the angular momentum vector coincides with the axis of rotation and its moment of inertia about the axis is 0.01 kgm<sup>2</sup>?
- 25. A particle of mass 10gm lies in a potential field V=50x2+100 ergs/gm. Deduce the frequency of oscillation?
- 26. Find the frequency, period and wave number for a light of wavelength 6000 AU.
- 27. The total energy of a particle executing a simple harmonic motion of period  $2\pi$  second is  $10.24 \times 10^4$  joule. The displacement of the particle at  $\pi/4$  second is  $8\sqrt{2}$  cm. Calculate the amplitude of the motion?
- 28. Calculate the twisting couple on a solid shaft of length 1.5 m and diameter 120mm when it is twisted through an angle 0.6°. The coefficient of rigidity for the material of the shaft may be taken to be 93 x 10<sup>9</sup> N/m2.
- 29. A brass bar 1 cm square in cross section is supported on two knife edge 100 cm apart. A load of 1 kg at the centre of the bar depresses that point by 2.51 mm. What is Young's modulus for brass?
- 30. A liquid is flowing through a 25 cm long tube of 1mm internal diameter due to a pressure of 10 cm of mercury. Calculate the volume of the liquid flowing out in one minute?
- 31. By how much will the surface of liquid be depressed in a glass tube of radius 0.02 cm, if the angle of contact of the liquid is 135° and its surface tension is 54.7x10<sup>-2</sup> nm<sup>-1</sup>? Density of 1iquid =13500 kgm<sup>-3</sup>.

 $(6 \times 4 = 24 \text{ Marks})$ 

3 **N – 3974** 

# SECTION - D

(Answer **any two** questions, each question carries **15** marks.)

- 32. Briefly explain the theory and experimental setup for the measurement of moment of inertia of a flywheel.
- 33. With necessary theory obtain an expression for the period of oscillation of a compound pendulum.
- 34. What do mean by bending moment? Derive an expression for the depression of a uniform beam supported at its ends and loaded in the middle.
- 35. Derive Poiseulli's formulae.

 $(2 \times 15 = 30 \text{ Marks})$ 

4 N - 3974